



Add  
Touch Of  
Class To  
Any Corner



THE ARTISTILE



800X1600MM | GVT & PGVT

Artisanal Know  
how  
With Maximum  
Industrial  
Efficiency

1

Raw Material




2

Printing




3

Firing



800x800mm | 800x1600mm  
Glossy

The Charm  
Of Time  
Worn Wood  
With A  
Contemporary Style



## FEATURES & APPLICATIONS

Elegance  
And  
Authenticity  
for Your  
Living Room

Our glossy surface can be used to construct kitchen counter tops, bedrooms, living room, staircase etc as it is lightweight, easy to clean, hygienic, and resistant to scratches, water, plus high temperatures.

## SPECIFICATION



LIGHTWEIGHT



RECYCLABLE



WATERPROOF



RESISTANT TO  
SCRATCHES



HYGIENIC



100% NATURAL



RESISTANT TO HIGH  
TEMPERATURES



EASY TO CLEAN



RESISTANT  
TO BENDING



RESISTANT  
TO UV RAYS

## AREA



KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP




DOOR WINDOW  
FRAME



ADMIRAL BROWN



THE ARTISTILE



# ADMIRAL BROWN

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



**CALACATTA MANHATTAN**



THE ARTISTILE



# CALACATTA MANHATTAN

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04






CALACATTA VAGLI



THE ARTISTILE



**CALACATTA VAGLI**

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm




Random:  
04



**WHITE PERSIAN ONYX**



THE ARTISTILE



# WHITE PERSIAN ONYX

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



**GRIGIO ARORA**



THE ARTISTILE



# GRIGIO ARORA

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



Sonesta  
Suites

FLOORS ROOMS  
< 101 TO 108 OT 101  
< 201 TO 208 OT 102  
< 301 TO 306 OT 103  
< 401 TO 406 OT 104  
< 501 TO 506 OT 105  
< 601 TO 606 OT 106

101 TO 108  
201 TO 208  
301 TO 306  
401 TO 406  
501 TO 506  
601 TO 606  
FLOORS

GRIGIO ARORA GREY



THE ARTISTILE



# GRIGIO ARORA GREY

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04





**PISTA CREMA**



THE ARTISTILE



# PISTA CREMA

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



IMPRESSIA GREY



THE ARTISTILE



# IMPRESSIA GREY

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



IMPRESSIA ASH



THE ARTISTILE



# IMPRESSIA ASH

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



IMPRESSIA GRIS



THE ARTISTILE



# IMPRESSIA GRIS


Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04





**LEROX WHITE**



THE ARTISTILE



**LEROX WHITE**

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm


Random:  
04



VENACIA



THE ARTISTILE



**VENACIA**

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



LILAC WHITE



THE ARTISTILE



**LILAC WHITE**

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm


Random:  
04



**VOLKAS REDICIO**



THE ARTISTILE



**VOLKAS RADICIO**

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04





NACARADO GOLD



THE ARTISTILE



## NACARADO GOLD

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



**OLIVE GREY**



THE ARTISTILE



**OLIVE GREY**

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm


Random:  
04



PENGUIN BEIGE



THE ARTISTILE



# PENGUIN BEIGE

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



**PENGUIN WHITE**



THE ARTISTILE



**PENGUIN WHITE**

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04






SPANISH GREY



THE ARTISTILE



**SPANISH GREY**

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04






← LOBBY  
→ LOUNGE

STATUARIO EXTRA



THE ARTISTILE



## STATUARIO EXTRA

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



**STATUARIO REGAL**



THE ARTISTILE



# STATUARIO REGAL

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04



**VEGAS GOLD**



THE ARTISTILE



**VEGAS GOLD**

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04






WILLIAM GREY



THE ARTISTILE



**WILLIAM GREY**

Size:  
800x1600mm

Finish:  
Glossy

Thickness:  
9mm

Random:  
04

## TECHNICAL SPECIFICATION

### PACKING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP BIa	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
<b>REGULATORY PROPERTIES</b>				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
<b>STRUCTURAL PROPERTIES</b>				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>				
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5x10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
<b>SAFETY PROPERTIES</b>				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15